

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Powder, mixture
Product name. : Sani-Pak Powder
Product group : Trade product
Product code : SP/77000/4 & SP/B77000/2
Part number : SP-77000 & SP-B77000 series

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/preparation : Toilet deodorant

1.2.2. Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Celeste Industries Corporation
8221 Teal Drive, suite 405
Easton, Maryland 21601 (USA)
Within USA: (410) 822-5775
International: 00 (1) 410-822-5775
e-mail: info@celestecorp.com

1.4. Emergency telephone number

Emergency contact number : For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident call CHEMTREC (24 hours) within USA and CANADA: 1-800-424-9300
Outside USA and Canada (collect call accepted): 1-703-527-3883

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315
Eye Dam. 1 H318
Aquatic Acute 1 H400

Full text of H-phrases: see section 16.

Classification according to Directive 67/548/EEC or 1999/45/EC

Xi; R41
N; R50

Full text of R-phrases: see section 16.

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Directive 67/548/EEC or 1999/45/EC

Symbol and Nature of Warning / Danger :



Irritant



Aquatic Toxicity

Signal Word : Warning
R-phrases : R41 - Risk of serious damage to eyes
R50 - Very toxic to aquatic organisms.
S-phrases : S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S39 - Wear eye/face protection.
S61 - Avoid release to the environment. Refer to special instructions/safety data sheets.
S35 - This material and its container must be disposed of in a safe way.
S46 - If swallowed, seek medical advice immediately and show this container or label.
S57 - Use appropriate container to avoid environmental contamination.

Safety Data Sheet

according to Regulation (EC) No. 453/2010

S59 - Refer to manufacturer/supplier for information on recovery/recycling

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC
2-Bromo-2-nitropropane-1,3-diol	(CAS No.) 52-51-7 (EC no) 200-143-0 (EC index no) 603-085-00-8	7 - 15	Xn; R21/22 Xi; R37/38-41 N; R50
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Bromo-2-nitropropane-1,3-diol	(CAS No.) 52-51-7 (EC no) 200-143-0 (EC index no) 603-085-00-8	7 - 15	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove victim to fresh air. If necessary seek medical advice.
- First-aid measures after skin contact : Remove all contaminated clothing and footwear. Rinse and then wash skin with water and soap. If skin irritation persists, take medical advice.
- First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Obtain medical attention if irritation persists.
- First-aid measures after ingestion : Seek medical attention immediately. If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after eye contact : Irritating to eyes.
- Symptoms/injuries after ingestion : May be harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: : Carbon dioxide (CO₂), dry chemical powder, foam, water fog.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Non combustible.

5.3. Advice for firefighters

Protective equipment for firefighters : Extra personal protection: complete protective clothing including self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Use splash goggles when eye contact due to splashing is possible.

Emergency procedures : Avoid contact with skin and eyes. Do not allow the product to be released into the environment.

6.1.2. For emergency responders

Protective equipment : Gloves. Use splash goggles when eye contact due to splashing is possible.

Emergency procedures : Avoid contact with skin and eyes. Do not allow uncontrolled leakage of product into the environment.

Safety Data Sheet

according to Regulation (EC) No. 453/2010

6.2. Environmental precautions

Do not discharge into drains or the environment. Do not allow uncontrolled leakage of product into the environment.

6.3. Methods and material for containment and cleaning up

For containment : Clean spills promptly. contain the discharged material.
Methods for cleaning up : Collect in closed containers for disposal. Flush residue with large amounts of water. Consult the local waste disposal expert about waste disposal.

6.4. Reference to other sections

Refer to sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.
Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures: : Provide adequate ventilation.
Storage condition(s) : Store in dry, cool, well-ventilated area.
Incompatible materials : Strong oxidizing compounds

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls : Ensure adequate ventilation.
Personal protective equipment : Chemical resistant gloves. Protective goggles.



Hand protection : In case of repeated or prolonged contact wear gloves.
Eye protection : Wear chemical splash goggle if risk of splash.
Skin and body protection : Protective apron. protective clothing. Wear suitable protective clothing.
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Powder
Colour : Blue
Odour : Pleasant
Odour threshold : No data available
pH : Not applicable.
Melting point : 60 °C
Solidification point : No data available
Boiling point : No data available
Flash point : > 93 °C
Relative evaporation rate (butylacetate=1) : Not applicable
Flammability (solid, gas) : No data available
Explosive limits : Not applicable vol %
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : 0.57 g/cm³
Solubility : Soluble in water
Log Pow : No data available
Log Kow : No data available
Self ignition temperature : Not applicable

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive
Oxidising properties	: Not oxidizing

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Sani-Pak Powder	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 11000 mg/kg
Halogenated Propylene Glycol (Deodorant-Germicide)	
LD50 oral rat	180 - 400 mg/kg
LD50 dermal rat	1600 mg/kg
LC50 inhalation rat (mg/l)	> 5000 mg/l/4h

Skin corrosion/irritation	: Causes skin irritation pH: Not applicable
Eye damage/irritation	: Causes serious eye damage pH: Not applicable
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

12.2. Persistence and degradability

Halogenated Propylene Glycol (Deodorant-Germicide)	
LC50 fishes	410 mg/l
EC50 Daphnia	1.6 mg/l 48 hours
EC50 other aquatic organisms	0.4 - 0.9 mg/l 5, 15, 30 minutes
ErC50 (algae)	0.65 mg/l 96 hours

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 453/2010

12.5. Results of PBT and vPvB assessment

Sani-Pak Powder

This substance/mixture does not meet the PBT criteria of REACH, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH, annex XIII.

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose of contents/container to comply with applicable local, national and international regulations.

Waste disposal recommendations : Comply with local regulations for disposal.

SECTION 14: Transport information

Not a dangerous good in sense of transport regulations

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH candidate substance

Other regulations, restrictions and prohibition regulations : Compliance with following regulations: Regulation (EC) 1907/2006 as amended. Regulation (EC) 1272/2008 as amended. Directive 1999/45/EC as amended. Directive 67/548/EEC as amended.

15.1.2. National regulations

No data available

15.2. Chemical safety assessment

CSA has not been established

SECTION 16: Other information

Sources of Key data : MSDS.

Abbreviations and acronyms : ACGIH (American Conference of Government Industrial Hygienists). ASTM - American Society for Testing and Materials . CAS - Chemical Abstracts Service. CLP - Classification, Labelling and Packaging. CSR - Chemical Safety Report. EEC - European Economic Community. EC - European Community. GHS - Globally Harmonised System. HMIS - Hazardous Materials Identification System. MSDS - Material Safety Data Sheet. OSHA - Occupational Safety and Health Administration. Overland transport (ADR). PEL - Permissible Exposure Level. REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals. Relat - Relative. SDS - Safety Data Sheet . STEL- Short-Term Exposure Limit . TLV- Threshold Limit Value. TWA- Time Weighted Average.

Full text of R-, H- and EUH-phrases::

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	flammable liquids Category 3
Skin Corr. 1B	skin corrosion/irritation Category 1B
Skin Irrit. 2	skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitisation Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

Safety Data Sheet

according to Regulation (EC) No. 453/2010

H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
R10	Flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R34	Causes burns
R36	Irritating to eyes
R36/37/38	Irritating to eyes, respiratory system and skin
R38	Irritating to skin
R41	Risk of serious damage to eyes
R43	May cause sensitisation by skin contact
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52	Harmful to aquatic organisms
C	Corrosive
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Celeste Industries Corporation assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.